

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/796,269	03/10/2004	Hisao Arai	Q80047	2375
65565 7590 SUGHRUE-26555			EXAMINER	
2100 PENNSYLV	ANIA AVE. NW		DHARIA, PRABODH M	
WASHINGTON, DC 20037-3213			ART UNIT	PAPER NUMBER
			2629	
SHORTENED STATUTORY PE	RIOD OF RESPONSE	MAIL DATE	DELIVER	Y MODE
3 MONTH	is	12/19/2006	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

·		A 11 A(a)
	Application No.	Applicant(s)
	10/796,269	ARAI, HISAO
Office Action Summary	Examiner	Art Unit
·	Prabodh M. Dharia	2629
The MAILING DATE of this communicati Period for Reply	ion appears on the cover sheet wi	th the correspondence address
A SHORTENED STATUTORY PERIOD FOR	DEDLY IS SET TO EVOIDE 2 MA	ONTH(S) OF THIRTY (30) DAYS
WHICHEVER IS LONGER, FROM THE MAIL!  - Extensions of time may be available under the provisions of 37 after SIX (6) MONTHS from the mailing date of this communical. If NO period for reply is specified above, the maximum statutor. Failure to reply within the set or extended period for reply will, be Any reply received by the Office later than three months after the earned patent term adjustment. See 37 CFR 1.704(b).	ING DATE OF THIS COMMUNIC CFR 1.136(a). In no event, however, may a restion. by period will apply and will expire SIX (6) MON by statute, cause the application to become AB	CATION.  apply be timely filed  THS from the mailing date of this communication.  ANDONED (35 U.S.C. § 133).
Status		
1)⊠ Responsive to communication(s) filed or	n 10 March 2004.	
· ·	☐ This action is non-final.	
3) Since this application is in condition for a	allowance except for formal matte	ers, prosecution as to the merits is
closed in accordance with the practice u	nder <i>Ex parte Quayle</i> , 1935 C.D.	. 11, 453 O.G. 213.
Disposition of Claims		
4)⊠ Claim(s) <u>1-15</u> is/are pending in the appli	cation.	
4a) Of the above claim(s) is/are w		
5) Claim(s) is/are allowed.	•	
6)⊠ Claim(s) <u>1-15</u> is/are rejected.		
7) Claim(s) is/are objected to.		
8) Claim(s) are subject to restriction	and/or election requirement.	
Application Papers		
9)☐ The specification is objected to by the Ex	aminer.	
10)⊠ The drawing(s) filed on 10 March 2004 is		ected to by the Examiner.
Applicant may not request that any objection		•
Replacement drawing sheet(s) including the	correction is required if the drawing(	s) is objected to. See 37 CFR 1.121(d).
11)☐ The oath or declaration is objected to by	the Examiner. Note the attached	Office Action or form PTO-152.
Priority under 35 U.S.C. § 119		
12)⊠ Acknowledgment is made of a claim for fo	oreign priority under 35 U.S.C. &	119(a)-(d) or (f).
a)⊠ All b)□ Some * c)□ None of:	J , , , , , , , , , , , , , , , , , , ,	
1. Certified copies of the priority docu	uments have been received.	
2. Certified copies of the priority docu		oplication No
3. Copies of the certified copies of the		received in this National Stage
application from the International E		
* See the attached detailed Office action for	a list of the certified copies not r	received.
·		
Attachment(s)	•	
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Review (PTO-9</li> </ol>	4) Interview St	ummary (PTO-413) )/Mail Date
3) X Information Disclosure Statement(s) (PTO/SB/08)	5) D Notice of Inf	formal Patent Application
Paper No(s)/Mail Date <u>03-10-04</u> .	6) 🔲 Other:	<u> -</u>

Art Unit: 2629

#### **Priority**

- 1. Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.
- 2. <u>Status:</u> Please addressed all the replies and correspondence to the new examiner art unit 2629.

## Information Disclosure Statement

3. The information disclosure statement (IDS) submitted on 03-10-2004 is in compliance with the provisions of 37 CFR 1.97. Accordingly, the examiner is considering the information disclosure statement.

#### **Drawings**

4. Figure 6 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

#### Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 6. Claims 1-3 and 7-10 rejected under 35 U.S.C. 102(b) as being anticipated by Tagusa et al. (JP 2000-029019).

Regarding Claim 1, Tagusa et al. teaches a pixel defect (shorting, optical leakage and open circuit) correcting method for image display (detailed description pages 6 and 7, paragraphs 45-48), the method comprising: equipping a refractive index varying area (detailed description pages 6 paragraphs 45-47), which is different in refractive index from the surroundings thereof in a plane parallel to an image display face, on a defective pixel on the image display face (detailed description pages 6 and 7, paragraphs 45-48).

Regarding Claim 2, Tagusa et al. teaches pixel defect correcting method for image display (detailed description pages 6 and 7, paragraphs 45-48), the method comprising: equipping a pixel defect correcting film on an image display face (detailed description pages 6 and 7, paragraphs 45-52); and equipping a refractive index varying area (detailed description pages 6 and 7, paragraphs 45-48), which is different in refractive index from the surroundings thereof in a plane parallel to the image display face (detailed description pages 6, paragraphs

Art Unit: 2629

45,46), to a portion of the pixel defect correcting film which is located above a defective pixel (detailed description pages 6-8, paragraphs 45-61).

Regarding Claim 3, Tagusa et al. teaches a pixel defect correcting method for image display(detailed description pages 6 and 7, paragraphs 45-48),, the method comprising: attaching an image defect correcting film having a refractive index varying area (detailed description pages 6-8, paragraphs 45-61), which is different in refractive index from the surroundings thereof in a plane parallel to a film face (detailed description page 6, paragraphs 45-47), onto an image display face so that the refractive index varying area is located above a defective pixel (detailed description pages 6-9, paragraphs 45-62).

Regarding Claims 7-10, Tagusa et al. teaches an image display device, wherein a defective pixel of image display is substantially corrected by a refractive index varying area on an image display face which is different in refractive index from the surroundings thereof in a plane parallel to the image display face (detailed description pages 6 and 7, paragraphs 45-48); an image display device comprising: a refractive index varying area which is different in refractive index from the surroundings thereof in a plane parallel to an image display face, the refractive index varying area being equipped above a defective pixel of the image display face (detailed description pages 6 and 7, paragraphs 45-48); an image display device comprising: a pixel defect correcting film having a refractive index varying area, which is different in refractive index from the surroundings thereof in a plane parallel to an image display face, on the image display face, the refractive index varying area being located above a defective pixel of the

Art Unit: 2629

image display face (detailed description pages 6 and 7, paragraphs 45-48) and the pixel defect correcting film comprises photochromic material (pages 11 and 12, paragraph 83, detailed description pages 6-9, paragraphs 45-62).

### Claim Rejections - 35 USC § 103

- 7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 8. Claims 4-6 rejected under 35 U.S.C. 103(a) as being unpatentable over Tagusa et al. (JP 2000-029019) as applied to claims 1-3 and 7-10 above, and further in view of Ubusawa et al. (JP 03140903A).

Regarding Claims 4-6 Tagusa et al. teaches the refractive index is varied by irradiating a UV rays to thereby equip the refractive index varying area (detailed description pages 6-8, paragraphs 45-61, page 15, paragraphs 115-117); However, Tagusa et al. fails to recite the refractive index is varied by irradiating a laser beam to thereby equip the refractive index varying area. However, Ubusawa et al. the refractive index is varied by irradiating a laser beam to thereby equip the refractive index varying area and (see constitution).

The reason to combine the color filter using photosensitive resin film has the excellent grade therefore display the good and bright colors (see constitution).

Art Unit: 2629

Thus it would have been obvious to one in the ordinary skill in the art at the time of invention was made to incorporate the teaching of Ubusawa et al. in the teaching of Yamada to be able to have beam to thereby equip the refractive index varying area (see constitution). The reason to combine the color filter using photosensitive resin film has the excellent grade therefore display the good and bright colors facilitates to the larger area and has excellent mass productivity (see Constitution).

9. Claims 11 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yamada (US 2003/0128309 A1) in view of Helstern et al. (5,743,629).

Regarding Claims 11 and 14 Yamada teaches a color mura (Mura phenomenon is a non-uniform color difference and also forming light leakage area per prior art of Liu et al. (US 6,771,345 B2) see Col. 2, Lines 9-11) correcting (page 1, paragraph 2), method comprising: equipping a color mura correcting film (spacer film figure 5a, Item # 180, page 2, paragraphs 16,29) is equipped to an image display portion of an image display (page 2, paragraphs 16,18,19); and correcting a color mura of a display image by the color mura correcting film (page 2, paragraphs 16,18,19,29).

Yamada teaches mura color defect; however, Yamada fials to recite or disclose color correcting film generates complementary color. However, Helstern et al. discloses color correcting film (Col. 5, Lines 10,11, Col. 3, Lines 16-23,30-46 figure 3, item # 22 generates complementary color (Col. 3, Lines 16-23, Lines 10-15 combines complementary color with

Art Unit: 2629

main color to form a white light; i.e. to have uniform colors); generates the complementary color through light interference, (Col. 3, Lines 16-23, 36-47, Col. 1, Line 64 to Col. 2, Line 6).

The reason to combine is to be able to produce a uniform color display and reduce non uniform color differences.

Thus it would have been obvious to one in the ordinary skill in the art at the time of invention was made to incorporate the teaching of Helstern et al. in the teaching of Yamada to be able to have a display where complementary color generating film colors are combined with light illuminating device color to produce a white light and further producing uniform color and reducing non-uniformity of color so that display displaying image with uniform color (Col. 2, Lines 35-47).

10. Claims12-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yamada (US 2003/0128309 A1) in view of Helstern et al. (5,743,629) as applied to claims 11 and 14 above, and further in view of Ubusawa et al. (JP 03140903A).

Regarding Claims 12,13 and 15 Yamada modified by Helstern et al. fails to disclose a refractive index varying structure which is periodically varied in refractive index and generates image through light interference and the refractive index varying structure is equipped by irradiation of a laser beam. However, Ubusawa et al. discloses a refractive index varying structure which is periodically varied in refractive index and generates image through light interference and the refractive index varying structure is equipped by irradiation of a laser beam (see constitution).

The reason to combine the color filter using photosensitive resin film has the excellent grade therefore display the good and bright colors (see constitution).

Thus it would have been obvious to one in the ordinary skill in the art at the time of invention was made to incorporate the teaching of Ubusawa et al. in the teaching of Yamada modified by Helstern et al. to be able to have beam to thereby equip the refractive index varying area (see constitution). The reason to combine the color filter using photosensitive resin film has the excellent grade therefore display the good and bright colors facilitates to the larger area and has excellent mass productivity (see Constitution).

#### Conclusion

11. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Hoo Ken Koo (JP 10-062734) Method of correcting defective pixel of liquid crystal display and defective pixel correction device.

- 12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Prabodh M. Dharia whose telephone number is 571-272-7668. The examiner can normally be reached on M-F 8AM to 5PM.
- 13. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/796,269 Page 9

Art Unit: 2629

14. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

Prabodh Dharia

Partial Program Signatory Authority

AU2629

December 10, 2006